

Certificate ID: **91066**

Received: **12/24/20**

Scan QR Code for authenticity



CANNAFLOWER

40 University Way, Unit 40


Brattleboro, VT 05301

Attn: Perrin

Client Sample ID: **Lemon Drop**

Lot Number: **122020**

Matrix: **Flowers/Bud - Dry Flower**

Authorization: Chris Hudalla, Chief Science Officer	Signature: 	Date: 1/7/2021
--	--	-------------------



The data contained within this report was collected in accordance with the requirements of ISO/IEC17025:2017. I attest that the information contained within the report has been reviewed for accuracy and checked against the quality control requirements for each method. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

CN: Cannabinoid Profile & Potency [WI-10-17 & WI-10-17-01]

Analyst: *JFD*

Test Date: *12/30/2020*

The client sample was analyzed for plant-based cannabinoids by Liquid Chromatography (LC). The collected data was compared to data collected for certified reference standards at known concentrations.

91066-CN

ID	Weight %	Concentration (mg/g)			
D9-THC	0.111	1.11			
THCV	ND	ND			
CBD	0.850	8.50			
CBDV	ND	ND			
CBG	ND	ND			
CBC	0.0729	0.729			
CBN	ND	ND			
THCA	0.459	4.59			
CBDA	14.2	142			
CBGA	0.429	4.29			
D8-THC	ND	ND			
exo-THC	ND	ND			
Total	16.1	161	0%	Cannabinoids (wt%)	14.2%
Max THC	0.513	5.13		Limit of Quantitation (LOQ) = 0.0067 wt%	
Max CBD	13.3	133		Limit of Detection (LOD) = 0.0022 wt%	

Ratio of Total CBD to THC 25.9:1

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = (0.877 x THCA) + THC. This calculation does not include other cannabinoid isomers (eg. D8-THC and exo-THC). ND = None detected above the limits of detection (LOD), which is one third of LOQ.

TP: Terpenes Profile [WI-10-27]

Analyst: AEG

Test Date: 12/28/2020

Client sample analysis was performed using full evaporative technique (FET) headspace sample delivery and gas chromatographic (GC) compound separation. A combination of flame ionization detection (FID) and/or mass spectrometric (MS) detection with mass spectral confirmation against the National Institute of Standards and Technology (NIST) Mass Spectral Database, Revision 2017 were used. Chromatographic and/or mass spectral data were processed by quantitatively comparing the analytical peak areas against calibration curves prepared from certified reference standards.

91066-TP

Compound	CAS	Conc. (wt%)	Conc. (ppm)	Qualitative Profile
alpha-pinene	80-56-8	0.0420	420	
camphene	79-92-5	0.0012	11.5	
sabinene*	3387-41-5	ND	ND	
beta-myrcene	123-35-3	0.169	1,690	
beta-pinene	127-91-3	0.0181	181	
alpha-phellandrene	99-83-2	<RL	<RL	
delta-3-carene	13466-78-9	ND	ND	
alpha-terpinene	99-86-5	<RL	<RL	
alpha-ocimene	502-99-8	<RL	<RL	
D-limonene	138-86-3	0.0209	209	
p-cymene	99-87-6	<RL	<RL	
cis-beta-ocimene	3338-55-4	0.0094	93.8	
eucalyptol	470-82-6	<RL	<RL	
gamma-terpinene	99-85-4	<RL	<RL	
terpinolene	586-62-9	<RL	<RL	
linalool	78-70-6	0.0133	133	
L-fenchone*	7787-20-4	0.0013	12.6	
isopulegol	89-79-2	ND	ND	
menthol*	89-78-1	ND	ND	
geraniol	106-24-1	ND	ND	
beta-caryophyllene	87-44-5	0.0764	764	
alpha-humulene	6753-98-6	0.0196	196	
cis-nerolidol	3790-78-1	ND	ND	
trans-nerolidol	40716-66-3	ND	ND	
guaiol	489-86-1	0.0177	177	
caryophyllene oxide	1139-30-6	0.0024	23.9	
alpha-bisabolol	23089-26-1	0.0091	91.2	

Total Terpene: 0.4 wt%

* Certified reference standard not available for this compound. Concentration is estimated using the response factor from alpha-pinene. ND = None Detected. RL = Reporting Limit of 5 ppm.

END OF REPORT